L Number	Hits	Search Text	DB	Time stamp
-	2	6380998.pn.	USPAT;	2004/09/05 17:45
			US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	2	"20020163606"	USPAT;	2004/09/02 16:15
			US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	1	349/\$.ccls. and (reflecting with metallic) and (translucent with	USPAT;	2004/09/03 15:32
		electronic)	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
_	231	349/\$.ccls. and (reflecting with metallic)	USPĀT;	2004/09/03 15:32
			US-PGPUB,	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM TDB	
_	13	349/\$.ccls. and (reflecting with metallic) and translucent	USPĀT;	2004/09/03 15:45
Ì		, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			ЕРО; ЈРО;	
	•		DERWENT;	
			IBM TDB	
-	90	349/\$.ccls. and ((reflect\$4 with metal) with electric\$4 with connect\$4)	USPĀT;	2004/09/03 15:47
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
1			IBM TDB	
_	0	349/\$.ccls. and ((reflect\$4 with metal) with electric\$4 with connect\$4)	USPĀT;	2004/09/03 15:47
		and translucent	US-PGPUB;	
		·	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	98	349/\$.ccls. and ((reflect\$4 with metal\$4) with electric\$4 with	USPAT;	2004/09/03 15:47
		connect\$4)	US-PGPUB;	
		·	ЕРО; ЛРО;	
			DERWENT;	•
			IBM_TDB	
-	2	349/\$.ccls. and ((reflect\$4 with metal\$4) with electric\$4 with	USPAT;	2004/09/03 15:49
		connect\$4) and translucent	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	9	(liquid with crystal) and ((reflect\$4 with metal\$4) with electric\$4 with	USPAT;	2004/09/03 15:50
		connect\$4) and translucent	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	41	349\$.ccls. and (metal\$4 with electrically with ground\$4)	USPAT;	2004/09/03 15:52
			US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	1	349\$.ccls. and (metal\$4 with electrically with ground\$4) and translucent	USPAT;	2004/09/03 16:00
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM TDB	1

		240¢ cala and (matal@4 with alastmanl@4 with annumd@4) and	LIODAT.	2004/00/02 16:12
-	2	349\$.ccls. and (metal\$4 with electrical\$4 with ground\$4) and translucent	USPAT; US-PGPUB;	2004/09/03 16:13
		dansideent	ЕРО; JPO;	
			1 ' '	
			DERWENT;	
	101	240¢ cala and (noffeet\$4 with electrical\$4) and translations	IBM_TDB	2004/00/02 16:15
-	101	349\$.ccls. and (reflect\$4 with electrical\$4) and translucent	USPAT;	2004/09/03 16:15
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
		24001	IBM_TDB	2004/00/02 16:14
-	0	349\$.ccls. and (reflect\$4 with electrical\$4) and (translucent with pcb)	USPAT;	2004/09/03 16:14
			US-PGPUB;	
	ĺ		EPO; JPO;	
			DERWENT;	
		2400 1 16 0 104 11 1 11 104 11 1 104	IBM_TDB	2004/00/02 16 10
-	9	349\$.ccls. and (reflect\$4 with electrical\$4 with metal\$4) and translucent	USPAT;	2004/09/03 16:18
			US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	207	349\$.ccls. and (reflect\$4 with electrical\$4 with metal\$4)	USPAT;	2004/09/03 16:22
			US-PGPUB;	
· ,			EPO; JPO;	
Ì			DERWENT;	
			IBM_TDB	
-	207	349/\$.ccls. and (reflect\$4 with electrical\$4 with metal\$4)	USPAT;	2004/09/03 16:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	102	349/\$.ccls. and (reflect\$4 with (plate or layer) with metal\$4) and	USPAT;	2004/09/05 16:47
		translucent	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
ļ			IBM_TDB	
-	3	349/\$.ccls. and (reflect\$4 with (plate or layer) with metal\$4) and	USPAT;	2004/09/05 16:51
!		(translucent with (plate or layer)) and (reflect\$4 with ground\$2)	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	52	349/\$.ccls. and (reflect\$4 with (plate or layer) with metal\$4) and	USPAT;	2004/09/05 16:51
		(translucent with (plate or layer))	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	15	349/\$.ccls. and (reflect\$4 with (plate or layer) with metal\$4) and	USPAT;	2004/09/05 16:52
		(translucent with (plate or layer)) and (reflect\$4 with conductive)	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	1	349/\$.ccls. and (reflect\$4 with (plate or layer) with metal\$4) and	USPAT;	2004/09/05 16:53
		(translucent with (plate or layer)) and (reflect\$4 with electrically with	US-PGPUB;	
		connect\$4)	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	3	349/\$.ccls. and (reflect\$4 with metal\$4) and (translucent with (plate or	USPAT;	2004/09/05 16:57
		layer)) and (reflect\$4 with electrically with connect\$4)	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	

			T 100 : 0	
-	298	349/\$.ccls. and (reflect\$4 with metal\$4) and (reflect\$4 with electrically with connect\$4)	USPAT; US-PGPUB;	2004/09/05 16:57
			ЕРО; ЛРО;	
			DERWENT;	
	9	240/\$ sole and (reflect\$4 with metal\$4) and (reflect\$4 with electrically	IBM_TDB	2004/00/05 17:02
-	,	349/\$.ccls. and (reflect\$4 with metal\$4) and (reflect\$4 with electrically with connect\$4) and translucent	USPAT; US-PGPUB;	2004/09/05 17:03
		with connectory and transfucent	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	8	("3736047"   "4456336"   "4521079"   "4904060"   "5926240"	USPAT	2004/09/05 17:00
		"5978056"   "6124912"   "6344888").PN.		
-	0	6765638.URPN.	USPAT	2004/09/05 17:00
-	4	("5124824"   "5753937"   "5841496"   "6456347").PN.	USPAT	2004/09/05 17:02
-	2	(liquid with crystal) and (reflect\$4 with metal\$4) and (reflect\$4 with	USPAT;	2004/09/05 17:04
		electrically with connect\$4) and (translucent with electronic\$4)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
	527	(liquid with crystal) and (reflect\$4 with metal\$4) and (reflect\$4 with	USPAT;	2004/09/05 17:05
		electrically with connect\$4)	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	6	349/\$.ccls. and (metal\$4 with translucent) and (metal with electrically	USPAT;	2004/09/05 17:07
		with conductive)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
	0	349/\$.ccls. and ((light with guide) same translucent same metal\$4) and	USPAT;	2004/09/05 17:08
	1	(metal with electrically with conductive)	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
.		240/0 - 1 1 //1 14 - 14 - 1 - 1 - 1 - 1 - 14	IBM_TDB	2004/00/05 15 00
-	0	349/\$.ccls. and ((light with guide) same translucent) and ((light with	USPAT;	2004/09/05 17:08
		guide) same metal\$4) and (metal with electrically with conductive)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	349/\$.ccls. and ((light with guide) same translucent) and ((light with	USPĀT;	2004/09/05 17:10
		guide) same metal\$4) and (metal with conductive)	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
	39	240/\$ sole and (light with quide with matel\$4) and (matel\$4 with	IBM_TDB	2004/00/05 17:12
-	39	349/\$.ccls. and (light with guide with metal\$4) and (metal\$4 with electrically with connect\$4)	USPAT; US-PGPUB;	2004/09/05 17:12
		DISSELECTION TO THE STATE OF TH	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	349/\$.ccls. and (light with guide with aluminium) and (electrically with	USPAT;	2004/09/05 17:12
		connect\$4)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	7	349/\$.ccls. and (light with guide with aluminum) and (electrically with	USPAT;	2004/09/05 17:13
	,	connect\$4)	US-PGPUB;	200 1107103 17.13
·			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	349/\$.ccls. and ((light with guide) same translucent same (metal\$4 or	USPAT;	2004/09/05 17:18
		aluminum))	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
			מחז ואותו	

-	45	349/\$.ccls. and (translucent with metal\$4)	USPAT;	2004/09/05 17:19
			US-PGPUB;	
			ЕРО; ЛРО;	;
			DERWENT;	
			IBM TDB	
	0	6380998.URPN.	USPAT	2004/09/05 17:35
_	4	("5029984"   "5293262"   "5899549"   "6160349").PN.	USPAT	2004/09/05 17:35
_	6	("4663670"   "4975692"   "5083058"   "5307190"   "5357570"	USPAT	2004/09/05 17:38
		"5564096").PN.		
_	2	5899549.URPN.	USPAT	2004/09/05 17:39
_	59	349/59.ccls.	USPAT;	2004/09/05 17:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	1	340/50 cols, and (translugant same matel\$4)	<del></del>	2004/09/05 17:46
-	1	349/59.ccls. and (translucent same metal\$4)	USPAT;	2004/03/03 17.40
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	2004/00/05 15 45
-	2	349/\$.ccls. and (translucent with (layer or plate) with metal\$4) and	USPAT;	2004/09/05 17:47
		(metal\$4 with electrically with connect\$4)	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	19	349/\$.ccls. and (translucent with (layer or plate) with metal\$4)	USPAT;	2004/09/05 17:47
		•	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
_	7	349/\$.ccls. and (translucent with (layer or plate) with metal\$4) and	USPAT;	2004/09/05 17:48
		(metal\$4 with electric\$4)	US-PGPUB;	
			ЕРО, ЈРО,	
			DERWENT;	
			IBM TDB	
-	41	313/\$.ccls. and (translucent with (layer or plate) with metal\$4) and	USPĀT;	2004/09/05 17:49
		(metal\$4 with electric\$4)	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM TDB	
_	237	(translucent with (layer or plate) with metal\$4) and (metal\$4 with	USPAT;	2004/09/05 17:50
		electric\$4)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	21	(translucent with (layer or plate) with metal\$4) same (metal\$4 with	USPAT;	2004/09/05 17:55
_		electrically with connect\$4)	US-PGPUB;	2007103103 11.33
		Cloudically with conficcion;	· 1	
			EPO; JPO;	
			DERWENT;	
		£1209£0	IBM_TDB	0004/00/05 15 55
-	2	5139850.pn.	USPAT;	2004/09/05 17:55
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	